

ਕੋਆਪੇਰੇਟਿਵ ਬੈਂਕ



Cooperative Bank

FULLY COMPUTERIZED BANK

HEAD OFFICE : HOSHIARPUR

The Hoshiarpur Central Cooperative Bank Ltd.

HEAD OFFICE : RAILWAY ROAD, HOSHIARPUR-146 001. Email : hccb_coopbank@yahoo.co.in

Chairman : 01882-223636

Web.: www.coopbankhsp.com

Distt. Manager : 01882-502243

: 01882-520036

: 01882-224100

Fax No. : 01882-503813

Fax

: 01882-224099

Ref. No.: _____

Date : _____

ਟੈਂਡਰ ਨੋਟਿਸ

ਦੀ ਹੁਸ਼ਿਆਰਪੁਰ ਕੇਂਦਰੀ ਸਹਿਕਾਰੀ ਬੈਂਕ ਲਿਮ., ਹੁਸ਼ਿਆਰਪੁਰ ਵੱਲੋਂ ਆਪਣੀ ਗੜ੍ਹਸ਼ੰਕਰ ਬਰਾਂਚ ਬਿਲਡਿੰਗ ਵਿੱਚ ਇੱਕ ਨਵਾਂ ਰਿਕਾਰਡ ਰੂਮ, ਜਨਰੇਟਰ ਸੈਂਡ ਅਤੇ ਬਾਥਰੂਮ ਦੀ ਰਿਪੇਅਰ ਆਦਿ ਦਾ ਕੰਮ ਸਹਿਕਾਰੀ ਕਿਰਤ ਤੇ ਉਸਾਰੀ ਸਭਾਵਾਂ ਪਾਸੋਂ ਕਰਵਾਉਣ ਲਈ ਸੀਲਬੰਦ ਟੈਂਡਰਾਂ ਦੀ ਮੰਗ ਕੀਤੀ ਜਾਂਦੀ ਹੈ । ਇਹ ਸਾਰੇ ਸਿਵਲ ਦੇ ਕੰਮ ਦਾ ਵੇਰਵਾ, ਸ਼ਰਤਾਂ ਅਤੇ ਟੈਂਡਰ ਬੈਂਕ ਦੀ ਵੈਬਸਾਈਟ www.coopbankhsp.com ਤੋਂ ਡਾਊਨਲੋਡ ਕੀਤੇ ਜਾ ਸਕਦੇ ਹਨ । ਚਾਹਵਾਨ ਸਹਿਕਾਰੀ ਕਿਰਤ ਤੇ ਉਸਾਰੀ ਸਭਾਵਾਂ ਕਿਸੇ ਵੀ ਕੰਮ-ਕਾਜ ਵਾਲੇ ਦਿਨ ਗੜ੍ਹਸ਼ੰਕਰ ਬਰਾਂਚ ਦੀ ਵਿਜ਼ਟ ਕਰਕੇ ਸਿਵਲ ਦੇ ਕੰਮ ਦਾ ਵੇਰਵਾ ਦੇਖ ਕੇ ਟੈਂਡਰ ਡਾਕੂਮੈਂਟਸ ਹਾਸਿਲ ਕਰਕੇ ਮਿਤੀ 22-09-2023 ਤੱਕ ਸ਼ਾਮ 4.00 ਵਜੇ ਤੱਕ ਰਜਿਸਟਰਡ ਡਾਕ ਰਾਹੀਂ ਟੈਂਡਰ ਭੇਜ ਸਕਦੇ ਹਨ । ਬੈਂਕ ਕਿਸੇ ਵੀ ਟੈਂਡਰ ਨੂੰ ਕਾਰਨ ਦੱਸੇ ਬਗ਼ੈਰ ਰੱਦ ਕਰ ਸਕਦਾ ਹੈ ।

ਜ਼ਿਲਾ ਮੈਨੇਜਰ,

ਦੀ ਹੁਸ਼ਿਆਰਪੁਰ ਕੇਂਦਰੀ ਸਹਿਕਾਰੀ ਬੈਂਕ ਲਿਮ., ਹੁਸ਼ਿਆਰਪੁਰ



ਕੋਆਪੇਰੇਟਿਵ ਬੈਂਕ



Cooperative Bank

FULLY COMPUTERIZED BANK

HEAD OFFICE : HOSHIARPUR

The Hoshiarpur Central Cooperative Bank Ltd.

HEAD OFFICE : RAILWAY ROAD, HOSHIARPUR-146 001. Email : hccb_coopbank@yahoo.co.in

Chairman : 01882-223636

Web.: www.coopbankhsp.com

Distt. Manager : 01882-502243

: 01882-520036

: 01882-224100

Fax No. : 01882-503813

Fax

: 01882-224099

Ref. No.: _____

ਟੈਂਡਰ ਨੋਟਿਸ ।

Date : _____

ਦੀ ਹੁਸ਼ਿਆਰਪੁਰ ਕੇਂਦਰੀ ਸਹਿਕਾਰੀ ਬੈਂਕ ਲਿਮ., ਹੁਸ਼ਿਆਰਪੁਰ ਵੱਲੋਂ ਆਪਣੀ ਗਤੀਸ਼ੀਲ ਬਰਾਂਚ ਬਿਲਡਿੰਗ ਵਿੱਚ ਇੱਕ ਨਵਾਂ ਰਿਕਾਰਡ ਰੂਮ, ਜਨਰੇਟਰ ਸ਼ੈੱਡ ਅਤੇ ਬਾਥਰੂਮ ਦੀ ਰਿਪੇਅਰ ਆਦਿ ਦਾ ਕੰਮ ਸਹਿਕਾਰੀ ਕਿਰਤ ਤੇ ਉਸਾਰੀ ਸਭਾਵਾਂ ਪਾਸੋਂ ਕਰਾਉਣਾ ਹੈ । ਟੈਂਡਰ ਭੇਜਣ ਲਈ ਸਭਾਵਾਂ ਨੂੰ ਹੇਠ ਲਿਖੀਆਂ ਸ਼ਰਤਾਂ ਦੀ ਪਾਲਣਾ ਕਰਨੀ ਜ਼ਰੂਰੀ ਹੈ :-

ਸ਼ਰਤਾਂ:-

1. ਸਭਾ ਕੋਲ ਪੈਨ ਨੰਬਰ ਹੋਣਾ ਲਾਜ਼ਮੀ ਹੈ ।
2. ਸਭਾ ਇੱਕ ਲਾਭ ਕਮਾਉਣ ਵਾਲੀ ਸੰਸਥਾ ਹੋਣੀ ਚਾਹੀਦੀ ਹੈ ।
3. ਸਭਾ ਨੇ ਪਿਛਲੇ ਤਿੰਨ ਸਾਲਾਂ ਤੋਂ ਇਨਕਮ ਟੈਕਸ ਰਿਟਰਨ ਭਰੀ ਹੋਣੀ ਚਾਹੀਦੀ ਹੈ ।
4. ਸਭਾ ਕਦੇ ਵੀ ਕਿਸੇ ਸਰਕਾਰੀ ਜਾਂ ਪ੍ਰਾਈਵੇਟ ਅਦਾਰੇ ਜਾਂ ਸੰਸਥਾ ਤੋਂ ਬਲੈਕ ਲਿਸਟ ਨਹੀਂ ਹੋਈ ਹੋਣੀ ਚਾਹੀਦੀ ।
5. ਸਭਾ ਕੋਲ ਇਸ ਕੰਮ ਵਿੱਚ ਕਿਸੇ ਸਰਕਾਰੀ ਜਾਂ ਪ੍ਰਾਈਵੇਟ ਅਦਾਰੇ ਦਾ ਘੱਟ ਤੋਂ ਘੱਟ ਤਿੰਨ ਸਾਲ ਦਾ ਤਜਰਬਾ ਹੋਣਾ ਚਾਹੀਦਾ ਹੈ ।
6. ਟਰਨ ਓਵਰ ਸਰਟੀਫਿਕੇਟ ਆਦਿ ।
7. ਸੀਲਬੰਦ ਟੈਂਡਰ ਬੈਂਕ ਦੇ ਮੁੱਖ ਦਫਤਰ ਰੇਲਵੇ ਰੋਡ ਹੁਸ਼ਿਆਰਪੁਰ ਵਿਖੇ ਮਿਤੀ 22-09-2023 ਦਿਨ ਸ਼ੁੱਕਰਵਾਰ ਨੂੰ ਬਾਅਦ ਦੁਪਿਹਰ 4.00 ਵਜੇ ਤੱਕ ਰਜਿਸਟਰਡ ਡਾਕ ਰਾਹੀਂ ਜਮ੍ਹਾਂ ਕੀਤੇ ਜਾਣਗੇ ।
8. ਕੰਮ ਨੂੰ ਮੁਕੰਮਲ ਕਰਨ ਦੀ ਸਮਾਂ ਸੀਮਾ ਵਰਕ ਆਊਟ ਮਿਲਣ ਤੋਂ ਚਾਰ ਮਹੀਨੇ ਦੀ ਹੋਵੇਗੀ ।
9. ਕੰਮ ਵਿੱਚ ਇਸਤੇਮਾਲ ਹੋਣ ਵਾਲਾ ਮਟੀਰੀਅਲ ਬੈਂਕ ਦੇ ਅਧਿਕਾਰੀਆਂ ਵੱਲੋਂ ਪ੍ਰਵਾਨਤ ਕੀਤੀ ਗਈ ਲਿਸਟ ਮੁਤਾਬਿਕ ਹੀ ਹੋਵੇਗਾ । ਵਰਕਮੈਨਸ਼ਿਪ ਉਚ ਮਿਆਰ ਦੀ ਅਤੇ ਬੈਂਕ ਦੀ ਤਸੱਲੀ ਪੂਰਵਕ ਹੋਣੀ ਚਾਹੀਦੀ ਹੈ । ਘਟੀਆ ਮਿਆਰ ਦੇ ਕੰਮ ਨੂੰ ਜੁਰਮਾਨਾ ਲਗਾ ਕੇ ਰੱਦ ਕੀਤਾ ਜਾ ਸਕਦਾ ਹੈ ।
10. ਕੰਮ ਬਿਨਾਂ ਕਿਸੇ ਠੋਸ ਕਾਰਨ ਅਤੇ ਦੱਸੇ ਬਗ਼ੈਰ ਦੇਰੀ ਹੋਣ ਤੇ ਸਭਾ ਨੂੰ ਜੁਰਮਾਨਾ ਲਗਾ ਕੇ ਕੰਮ ਨੂੰ ਰੱਦ ਕੀਤਾ ਜਾ ਸਕਦਾ ਹੈ ।
11. ਬਿੱਲਾਂ ਦੀ ਅਦਾਇਗੀ ਅਸਲ ਕੰਮ ਦੇ ਆਧਾਰ ਤੇ ਹੋਵੇਗੀ ।
12. ਕਿਸੇ ਵੀ ਝਗੜੇ ਦੀ ਸੂਰਤ ਵਿੱਚ ਬੈਂਕ ਦੇ ਮਾਨਯੋਗ ਚੇਅਰਮੈਨ ਦਾ ਫੈਸਲਾ ਅੰਤਿਮ ਹੋਵੇਗਾ । ਇਹ ਕਿਸੇ ਵੀ ਅਦਾਲਤ ਵਿੱਚ ਚੈਲੰਜ ਯੋਗ ਨਹੀਂ ਹੋਵੇਗਾ ।
13. ਮਿੱਥੀ ਹੋਏ ਸਮੇਂ ਤੋਂ ਬਾਅਦ ਵਿੱਚ ਪ੍ਰਾਪਤ ਹੋਏ ਟੈਂਡਰਾਂ ਤੇ ਵਿਚਾਰ ਨਹੀਂ ਕੀਤਾ ਜਾਵੇਗਾ ।
14. ਬੈਂਕ ਕਿਸੇ ਵੀ ਟੈਂਡਰ ਨੂੰ ਕਾਰਨ ਦੱਸੇ ਬਗ਼ੈਰ ਰੱਦ ਕਰ ਸਕਦਾ ਹੈ ।

ਜ਼ਿਲ੍ਹਾ ਮੈਨੇਜਰ,
ਸੀ.ਬੀ.ਹੁਸ਼ਿਆਰਪੁਰ ।



ਕੋਆਪੇਰੇਟਿਵ ਬੈਂਕ



Cooperative Bank

FULLY COMPUTERIZED BANK

HEAD OFFICE : HOSHIARPUR

The Hoshiarpur Central Cooperative Bank Ltd.

HEAD OFFICE : RAILWAY ROAD, HOSHIARPUR-146 001. Email : hccb_coopbank@yahoo.co.in

Chairman : 01882-223636

Web.: www.coopbankhsp.com

Distt. Manager : 01882-502243

: 01882-520036

: 01882-224100

Fax No. : 01882-503813

Fax

: 01882-224099

Ref. No.: _____

Date : _____

Tender for Civil Work in Gharshankar Branch of The Hoshiarpur Central Cooperative Bank Ltd.,

About Bank:

The Hoshiarpur Central Cooperative Bank Ltd is operating in whole District of Hoshiarpur having 66 Branches.

Scope of Work

A – STRUCTURE

- First class Clay Bricks will be used as per design given.
- 43/53 grade P.P.C cement Ambuja, Ultratech, Duraton will be used.
- Sand and coarse aggregate of approved quality shall be used.
- T.M.T steel of Jyoti, Fortune, Kamdhenu (Fe 500D) to be used.
- Coarse sand to use for concrete works only.
- Cement Mortar 1:6 will be used for 9" wall, 1:4 for 4.5" wall and for plastering 1:4 shall be used.
- For RCC work mixer and needle vibrator shall be used.
 - a. Slab thickness will be 5"
- Steel Shuttering for slabs.
- Parapet Upto height 3feet.

B – FLOORING

- For Ground floor PCC 1:4:8 will be laid below tile flooring.
- Cemented Flooring on Record & Generator Room.
- For Bathroom 1' x 1' anti-skid floor tiles will be provided.
- For Bathroom walls 1' x 1' normal tiles will be provided.
- Tile terracing will be provided on RCC slab.

C – SANITARY AND PLUMBING WORK

- Water supply pipes – CPVC, ISI mark



An Excellence Award Winner - Bank



ਕੋਆਪੇਰੇਟਿਵ ਬੈਂਕ



Cooperative Bank

FULLY COMPUTERIZED BANK

HEAD OFFICE : HOSHIARPUR

The Hoshiarpur Central Cooperative Bank Ltd.

HEAD OFFICE : RAILWAY ROAD, HOSHIARPUR-146 001. **Email :** hccb_coopbank@yahoo.co.in

Chairman : 01882-223636 **Web.:** www.coopbankhsp.com **Distt. Manager :** 01882-502243

: 01882-520036 **:** 01882-224100

Fax No. : 01882-503813 **Fax :** 01882-224099

Ref. No.: _____

Date : _____

- Supply & installation of fittings for one powder room.
- Water Tank already Installed to be used.
- Bathroom Seat, Washbasin & Urinal Should be Used of CERA.

D – ELECTRICAL WORKS

- ISI conduit pipes to be provided.
- Fan Boxes, Concealed boxes and junction boxes of ISI standard,
- Wall lights & Ceiling fan wiring included. Any other work-station points will not include in above quoted rates.
- Split AC wiring not included in above rates.
- Main electrical panel / changeover / termination box / Generator provision / synchronization etc. extra
- CCTV & other networking piping & wiring not included.
- Pipe for Door-phone/bell provision not included.

E – DOORS & WINDOWS

- Only Three aluminium doors & one Window will be provided for washroom & record room.
- Main entry rolling shutter not provided.
- Internal aluminium door behind rolling not provided.

F – FINISHING WORKS.

- Internal and external side plaster as per design.
- Internal paint will be done with single base coat of white putty & one coat of white paint.
- For external wall, white wash should be done.
- Ceiling plaster & paint not included.

NOTES –

- The height of the floors shall be maximum upto 11'-0".
- Foundation depth from DPC will be max 4 feet.
- Boundary wall and main gate foundation & ramp construction extra. MS main gate as per height.
- Strong Room door will be extra.
- All approval, sanctioning of building plans, electrical connection –temporary and permanent & municipal water connection shall be the responsibility of the owner.
- Boring and submersible not Provided.
- Earth filling will be done max 1'6", additional filling will be charged extra as per site condition.



An Excellence Award Winner - Bank



ਕੋਆਪੇਰੇਟਿਵ ਬੈਂਕ



Cooperative Bank

FULLY COMPUTERIZED BANK

HEAD OFFICE : HOSHIARPUR

The Hoshiarpur Central Cooperative Bank Ltd.

HEAD OFFICE : RAILWAY ROAD, HOSHIARPUR-146 001. Email : hccb_coopbank@yahoo.co.in

Chairman : 01882-223636 Web.: www.coopbankhsp.com Distt. Manager : 01882-502243

: 01882-520036 : 01882-224100

Fax No. : 01882-503813 Fax : 01882-224099

Ref. No.: _____

Date : _____

FOR LAND & BUILDING VALUATION.

- | | | |
|-----------------------------------|---|-----------------------------|
| 1. Land Area. | : | 1275 Sq.ft to be Worked on. |
| 2. Current Market Value | : | Already Owned by Owner. |
| 3. Land Value | : | Purchased |
| 4. Actual BUA of the premises BUA | : | |

Floor	Actual Area (Sft.)	Rate	Amount
Covered Area of Room, Generator room	465.00 Sft		
Covered Area of Interlock Tiles	200.00 Sft		
Covered Area of Existing Toilet	90.00 Sft.	Lumsum	
Misc Expenses		Lumsum	
Total			

Date:

Signature
Authorized Signatory of the
Society with seal



An Excellence Award Winner - Bank



ਕੋਆਪੇਰੇਟਿਵ ਬੈਂਕ



Cooperative Bank

FULLY COMPUTERIZED BANK

HEAD OFFICE : HOSHIARPUR

The Hoshiarpur Central Cooperative Bank Ltd.

HEAD OFFICE : RAILWAY ROAD, HOSHIARPUR-146 001. Email : hccb_coopbank@yahoo.co.in

Chairman : 01882-223636
: 01882-520036

Web.: www.coopbankhsp.com

Distt. Manager : 01882-502243

: 01882-224100

Fax No. : 01882-503813

Fax

: 01882-224099

Date : _____

Ref. No.: _____

DETAILS QUANTITY, RATES, UNITS & AMOUNTS MATERIAL REQUIRED FOR
CONSTRUCTION WORK OF RESIDENTIAL BUILDING FOR COVERED AREA 555 Sq. Ft.

Sr. No.	Description	Quantity	Rate	Amount (Rs.)
1.	Bricks A Class	2,500		
2.	Cement/Strong	250 Bags		
3.	Steel	2.5 Mt Per Sft (15 Q)		
4.	Aggregate	666 ft		
5.	Sand	1110 ft		
8.	Tiles including wall tiles	480 Sq.ft.		
10.	White Wash & Paint	2585 Sq.ft.		
11.	Contactor cost	555		
12.	Earth Filling 1'6"	6 Trolley		
13.	Aluminium Doors With Glass Fittings	85 Sq.ft.		
14.	Interlock Tiles with PCC	200 Sq.ft.		
TOTAL				
15.	Electricity	Lumsum	Lumsum	
16.	Sanitary	Lumsum	Lumsum	
17.	Extra			
18.	Brick Tiles on Slab	1650 Pcs	8 Per Pc	
	Total	-	-	

It is Confirmed that all the taxes has been included in the price

Date:

Signature
Authorized Signatory of the
Society with seal



An Excellence Award Winner - Bank



